

Replacement Motor Cross Reference

Square Flange - Low Service Factors - Up - Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EUSQ1052		1/2	1.30	230/115	USQ1052	B856		C1243
EUSQ1072	EB852	3/4	1.25	230/115	USQ1072	B852	54002	C1244
EUSQ1102	EB853	1	1.25	230/115	USQ1102	B853	54003	C1245
EUSQ1152	EB854	1.5	1.10	230/115	USQ1152	B854	54004	C1246
EUSQ1202	EB859	2	1.10	230/115	USQ1202	B859	18254	C1247
EUSQ1252	EB840	2.5	1.04	230	USQ1252	B840	13280	C1335

Square Flange - Full Rated Service Factors

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
ESQ1052	EB846	1/2	1.95	230/115	SQ1052	B846	14796	C1304
ESQ1072	EB847	3/4	1.65	230/115	SQ1072	B847	15815	C1305
ESQ1102	EB848	1	1.65	230/115	SQ1102	B848	12504	C1306
ESQ1152	EB858	1.5	1.50	230/115	SQ1152	B858	14728	C1307
ESQ1202	EB748	2	1.30	230	SQ1202	B748	10855	C1308
	EB844	3	1.15	208-230	SQ1302V1	B2844	16362	C1449
	EB850	5	1.00	208-230		B1000		

Square Flange - High Efficiency Design - Full Service Factor - Full Rated


5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EQC1052	EB845	1/2	1.90	230/115	QC1052		11357	C1446
EQC1072	EB661	3/4	1.65	230/115	QC1072		16358	C1499
EQC1102	EB841	1	1.65	230/115	QC1102		16359	C1500

Square Flange - High Efficiency Design - Low Service Factor - Up Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EUQC1072		3/4	1.27	230/115	UQC1072			
EUQC1102		1	1.25	230/115	UQC1102			
EUQC1152		1.5	1.10	230/115	UQC1152			

Square Flange - Premium Energy Efficient - Full Rated Service Factors

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB845	1/2	1.90	208-230/115	QC1052	B845	11357	C1446
	EB661	3/4	1.65	208-230/115	QC1072	B661/B2661	16358	C1499
	EB841	1	1.67	208-230/115	QC1102	B841	16359	C1500
	EB842	1.5	1.47	208-230/115	SQ1152	B842/ B2842	16360	C1307
	EB843	2	1.30	208-230	SQ1202	B843/ B2843	16361	C1308
	EB844	3	1.15	208-230	SQ1302V1	B2844	16362	C1449
	EB850	5	1.00	208-230		B1000		

 EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

extreme E Square Flange - Full Service Factors - Two Speed

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB980	3/4/.12	1.67	230	SQS1072R	B980	12071	C1310
	EB981	3/4/.12	1.67	115	SQL1072R	B981		C1450
	EB982	1/.16	1.65	230	SQS1102R	B982	12072	C1311
	EB983	1.5/.25	1.47	230	SQS1152R	B983	12073	C1312
	EB984	2/.33	1.30	230	SQS1202R	B984	12202	C1313

extreme E Square Flange - Premium Efficient - Full Rate - Service Factor - Two Speed

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB2980	3/4/.12	1.67	230		B2980		
	EB2982	1/.16	1.65	230		B2982		
	EB2983	1.5/.25	1.47	230		B2983		
	EB2984	2.0/.33	1.30	230		B2984		

extreme E Square Flange - Tristar™ Replacement - Full Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	ET3205	1/2	1.98	208-230/115				
	ET3207	3/4	1.85	208-230/115				
	ET3210	1	1.85	208-230/115				
	ET3215	1.5	1.60	208-230/115				
	ET3220	2	1.35	208-230				

Square Flange - Tristar™ Replacement - Up Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB852	3/4	1.25	230/115		B852		RB112
	EB853	1	1.25	230/115		B853		RB113
	EB854	1.5	1.10	230/115		B854		RB114
	EB859	2	1.10	230/115		B859		RB115
	EB840	2.5	1.04	230		B840		RB116
	EB844	3	1.15	208-230				

Square Flange - Full Service Factor - Full Rated - Three Phase

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EH491	1/2	1.90	208-230/460	Q3052	H491		K8012
	EH492	3/4	1.65	208-230/460	Q3072	H492		K8013
	EH635	1	1.65	208-230/460	Q3102	H635		K8014
	EH636	1.5	1.47	208-230/460	Q3152	H636		K8015
	EH637	2	1.30	208-230/460	Q3202	H637		K8016
	EH755	3	1.15	208-230/460	Q3302V1	H755		K8017

extreme E EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

C-Flange - Threaded Shaft - Low Service Factors - Up Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EUST1072	EB227	3/4	1.00	230/115	UST1072	B227SE	54022	C1321
EUST1102	EB228	1	1.00	230/115	UST1102	B228SE	54023	C1318
EUST1152	EB229	1.5	1.00	230/115	UST1152	B229SE	54024	C1319
EUST1202	EB230	2	1.00	230/115	UST1202	B230SE	12018	C1320
EUST1252	EB231	2.5	1.00	230	UST1252	B231SE	12020	C1149

C-Flange - Keyed and Threaded - High Service Factors - Full Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB120	1/2	1.60	230/115	SK1052	B120	13883	C1093
EST1052	EB126	1/2	1.60	230/115	ST1052	B126	18330	C1098
	EB121	3/4	1.50	230/115	SK1072	B121	14663	C1094
EST1072	EB127	3/4	1.50	230/115	ST1072	B127	15443	C1099
	EB122	1	1.40	230/115	SK1102	B122	12718	C1095
EST1102	EB128	1	1.40	230/115	ST1102	B128	14542	C1100
	EB123	1.5	1.30	230/115	SK1152	B123	52006	C1096
EST1152	EB129	1.5	1.30	230/115	ST1152	B129	52011	C1101
	EB124	2	1.20	230	SK1202	B124	52077	C1097
EST1202	EB130	2	1.20	230	ST1202	B130	52012	C1102
	EB817	3	1.15	208-230	SK1302V1	B817		C1439
	EB818	3	1.00	208-230	ST1302V1	B818		C1440
	EB819	5	1.00	208-230				

C-Flange - High Efficiency Design - Full Service Factor - Full Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
ECT1052		1/2	1.60	230/115	CT1052		52008	C1486
ECT1072		3/4	1.50	230/115	CT1072		52009	C1437
ECT1102		1	1.40	230/115	CT1102		52010	C1488



C-Flange - Keyed and Threaded Shaft - Premium Energy Efficient - Full Rated Service Factors

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB656	1/2	1.60	208-230/115	CK1052	B656	52003	C1485
	EB657	1/2	1.60	208-230/115	CT1052	B657	52008	C1486
	EB634	3/4	1.50	208-230/115	CK1072	B634/B121	52004	C1436
	EB638	3/4	1.50	208-230/115	CT1072	B638	52009	C1437
	EB653	1	1.40	208-230/115	CK1102	B653	52005	C1487
	EB654	1	1.40	208-230/115	CT1102	B654	52010	C1488
	EB795	1.5	1.30	208-230/115	SK1152	B795	52006	C1096
	EB796	1.5	1.30	208-230/115	ST1152	B796	52011	C1101
	EB808	2	1.20	208-230	SK1202	B808	52077	C1097
	EB809	2	1.20	208-230	ST1202	B809	52012	C1102
	EB817	3	1.15	208-230	SK1302V1	B817	12109	C1439
	EB818	3	1.15	208-230	ST1302V1	B818	17458	C1440
	EB819	5	1.15	208-230				
	EB116	4	1.25	208-230		B116		



EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

extreme-E C-Flange - Keyed and Threaded Shaft - Full Rated Service Factors - TWO SPEED

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB972	3/4/.10	1.50	115		B972	17445	C1105
	EB972H	3/4/.10	1.50	230	SKS1072			
	EB973	3/4/.10	1.50	115	STL1072R	B973	13541	C1109
	EB973H	3/4/.10	1.50	230	STS1072RV1			C1110
	EB974	1/1.12	1.40	230	SKS1102	B974	16053	C1106
	EB975	1/1.12	1.40	230	STS1102RV1	B975	14962	C1111
	EB976	1.5/.18	1.30	230	SKS1152	B976	19078	C1107
	EB977	1.5/.18	1.30	230	STS1152R	B977	15940	C1112
	EB978	2/.25	1.30	230	SKS1202	B978	12712	C1442
	EB979	2/.25	1.30	230	STS1202R	B979	19315	C1443
	EB966	3/.38	1.15	230		B966		

extreme-E C-Flange - Hayward®† Northstar™ Replacement - Threaded Shaft - Full & Up/Max Rated

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	ESN1072	3/4	1.85	208-230/115		SN1072		
	EUSN1102	1	1.40	208-230/115		USN1102		
	ESN1102	1	1.85	208-230/115		SN1102		
	EUSN1152	1.5	1.25	208-230/115		USN1152		
	ESN1152	1.5	1.60	208-230/115		SN1152		
	EUSN1202	2	1.20	208-230/115		USN1202		
	ESN1202	2	1.35	208-230		SN1202		
	EUSN1302	3	1.20	208-230		USN1302		
	ESN1302	3	1.60	208-230		SN1302		

C-Flange - Keyed Shaft - Full Service Factors - Full Rated - Three Phase

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EH281	1/2	1.60	208-230/460		H281		K8000
	EH450	3/4	1.50	208-230/460		H450		K8002
	EH513	1	1.40	208-230/460		H513		K8004
	EH616	1.5	1.30	208-230/460		H616		K8006
	EH704	2	1.20	208-230/460		H704		K8008
	EH740	3	1.15	208-230/460		H740		K8010

C-Flange - Threaded Shaft - Full Service Factors - Full Rated - Three Phase

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EH282	1/2	1.60	208-230/460		H282		K8001
	EH451	3/4	1.50	208-230/460		H451		K8003
	EH514	1	1.40	208-230/460		H514		K8005
	EH617	1.5	1.30	208-230/460		H617		K8007
	EH705	2	1.20	208-230/460		H705		K8009
	EH741	3	1.15	208-230/460		H741		K8011

extreme-E EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

Pool Cleaner - C-Face - Full Rated Service Factor

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	EB625	3/4	1.50	230/115	PL1072	B625		
	EB668	3/4	1.50	230/115		B668		

Thru Bolt - 56 Frame - Single Speed

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	TS605	3	1.00	230		B237		
	TS606	4	1.00	230		B238		

Thru Bolt - 56 Frame - Two Speed - Soft Start

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
	TT502	1.5/1.8	1.00	230		B233 / B2233 (new)		
	TT503	2.0/2.5	1.00	230		B234 / B2234 (new)		
	TT505	3.0/3.8	1.00	230		B235 / B2235 (new)		
	TT506	4.0/5.0	1.00	230		B236		

Thru Bolt - 48 Frame - Single Speed

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
AGL50FL1		1/2	1.00	115	CBT2052	BN23 / BN23V1 (new)	13719	
AGL75FL1		3/4	1.00	115	CBT2072	BN24 / BN24V1 (new)	18889	H909
AGH75FL1		3/4	1.00	230				
AGL10FL1		1	1.00	115	CBT2102	BN25 / BN25V1 (new)	16436	H910
AGH10FL1		1	1.00	230				
AGD15FL1		1.5	1.00	230/115	TBT1152D	BN35SS		C1901
SPH20FLC1		2	1.00	230		BN40 / BN40SS (new)		
SPH20FL1		2	1.00	230		186097 / BN40SS	17257	C1456
SPH25FL1		2.5	1.00	230				
SPH30FL1		3	1.00	230		BN41		

Thru Bolt - 48 Frame - Two Speed - Soft Start

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
AGL50FL2		1/2/0.6	1.00	115			18264	
AGL75FL2		3/4/1.0	1.00	115	CBS2072	BN36	12562	C1902
AGL10FL2S		1.0/1.2	1.00	115	CBS2102	BN37 / BN38 / BN37V1 (new)	15698/15700	C1903
AGL15FL2CS		1.5/1.8	1.00	115		BN50 / BN50V1 (new)		
SPL15FL2S		1.5/1.8	1.00	115		BN60	41000	
AGH15FL2CS		1.5/1.8	1.00	230		BN34 / BN34V1 (new)	41001	C1326
SPH20FL2CS		2.0/2.5	1.00	230		BN51		
SPH20FL2S		2.0/2.5	1.00	230		BN61	17525	C1327
SPH25FL2S		2.5/3.3	1.00	230				
SPH30FL2S		3.0/3.8	1.00	230		BN62	42005	



EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

Above Ground Pool - 48 Frame - Single Speed (Thru bolt less base)

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
AGL75FL1NB		3/4	1.00	115				
AGL10FL1NB		1.0	1.00	115				

Above Ground Pool - 48 Frame - Single Speed - 50Hz - CE Certified

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
AGH10FL150		1.0	1.00	220-240		BN33		

Above Ground Pool - EZ48 Frame - Single Speed - 60Hz - 1.5 Compartment

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EZBN23		1/2	1.00	115	CBT2052	BN23 / BN23V1 (new)		
EZBN24		3/4	1.00	115	CBT2072	BN24 / BN24V1 (new)		
EZBN25		1.0	1.00	115	CBT2102	BN25 / BN25V1 (new)		
EZBV35		1.5	1.00	115		BV35 / BV35V1 (new)		
EZBN35		1.5	1.00	230/115	TBT1152D	BN35/BN35SS		

Above Ground Pool - EZ48 Frame - Two Speed - 60Hz - 1.5 Compartment

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
EZBN36		3/4/.10	1.00	115	CBS2072	BN36		
EZBN37		1.0/.12	1.00	115	CBS2102	BN37 / BN37V1 (new)		
EZBN50		1.5/.18	1.00	115	TBS1152SV1	BN50 / BN50V1 (new)		

Above Ground Pool - Hoffinger Replacement

5.5 Diameter Catalog Number	56™ Catalog Number	HP	SF	Voltage	A.O. Smith Cat. No.	A.O. Smith Century Cat. No.	Franklin Cat. No.	Marathon Cat. No.
AGL10FL1H1		1	1.00	115	ODB1102V1	BV91		
AGL10FL1H2		1	1.00	115	ODB1102	BV90		H911
AGL15FL1H2		SPL	1.00	115				

extreme-E EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

Variable Speed - 56 Frame - Integrated Timer - Title 20 Compliant

Square Flange

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EVSS3	N/A	56Y	1/2 thru 3 HP	1.15	230
EVSS15-NS	N/A	56-1	1/2 thru 1/5 HP	1.5	230

C-Face

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EVSJ3	N/A	56J	1/2 thru 3 HP	1.15	230
EVSJ15-NS	N/A	56J	1/2 then	1.5	230

Two Speed with Integrated Timer - 56 Frame - Title 20 Compliant

Square Flange - Two Speed with Integrated Timer - High Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EB2980T	N/A	56Y	3/4 / .10	1.67	230
EB2982T	N/A	56Y	1.0 / .12	1.65	230
EB2983T	N/A	56Y	1.5 / .20	1.47	230
EB2984T	N/A	56Y	2.0 / .25	1.3	230

C-Face - Two Speed with Integrated Timer - High Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EB2973HT	N/A	56J	3/4 / .10	1.5	230
EB2975T	N/A	56J	1.0 / .12	1.4	230
EB2977T	N/A	56J	1.5 / .20	1.3	230
EB2979T	N/A	56J	2.0 / .25	1.2	230


Two Speed Motor Only - 56 Frame - Title 20 Compliant

Square Flange - Two Speed - High Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EB2980	B2980	56Y	3/4 / .10	1.67	230
EB2982	B2982	56Y	1.0 / .12	1.65	230
EB2983	B2983	56Y	1.5 / .20	1.47	230
EB2984	B2984	56Y	2.0 / .25	1.3	230

C-Face - Two Speed - High Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EB2973H		56J	3/4 / .10	1.5	230
EB2975		56J	1.0 / .12	1.4	230
EB2977		56J	1.5 / .20	1.3	230
EB2979	B2979	56J	2.0 / .25	1.2	230

extreme  EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.



Replacement Motor Cross Reference

Totally Enclosed Fan Cooled

Square Flange - Totally Enclosed Fan Cooled - Premium Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
ETE638	N/A	56J	3/4	1.50	208-230/115
ETE654	N/A	56J	1	1.40	208-230/115
ETE796	N/A	56J	1.5	1.30	208-230/115
ETE809	N/A	56J	2	1.20	208-230

C-Face - Totally Enclosed Fan Cooled - Premium Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
ETE661	N/A	56Y	3/4	1.67	208-230/115
ETE841	N/A	56Y	1	1.65	208-230/115
ETE842	N/A	56Y	1.5	1.47	208-230/115
ETE843	N/A	56Y	2	1.30	208-230

Pentair®† EQ Pump Series™ Replacement Pool Motors

Close Coupled Pump - Premium Efficient - Full Service Factor - Full Rated

Catalog Number	AOS / Century Stock No.	Mounting	HP	SF	Voltage
EEQK500	N/A	182JMZ	5	1.15	208-230/460
EEQK750	N/A	184JMZ	7.5	1.15	208-230/460
EEQK1000	N/A	213JMZ	10	1.15	208-230/460
EEQK1500	N/A	215JMZ	15	1.15	208-230/460
EEQ500	N/A	184JMZ	5	1.15	230
EEQ750	N/A	213JMZ	7.5	1.15	230



EXTREME E® represents our most efficient running, highest performing lines of motors.

† All marks shown within this document are properties of their respective owners.

